



# Sodium Hypochlorite 15% by Volume | 12.5% by Weight

This SDS follows the GHS format

SDS Number KCC - HYPO - 001

SDS Date September 5, 2023

24 Hour Emergency Phone Number

973 589-0700 | 551 200-2751 **CHEMTREC** 800 424-9300

### **SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Name Hypochlorite Solution

Chemical Name Sodium Hypochlorite

**CAS Number** 7681-52-9

**Common Names** Chlorine Bleach, Soda Bleach

Chemical Formula NaOCI

**Manufacturer** Kuehne Chemical Company Inc.

86 North Hackensack Avenue South Kearny NJ 07032-4673

973 589-0700



#### **SECTION 2 - HAZARD IDENTIFICATION**

**Symbol** 



Signal Word Danger

Corrosive to MetalsCategory 1Skin CorrosionCategory 1Serious Eye DamageCategory 1

**Target Organ Toxicity** Category 1 - Causes damage to respiratory system

**Hazard Statements** H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H400 - Very toxic to aquatic life

### **HMIS HAZARD RATINGS**

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	2
PERSONAL PROTECTION	

Based on Nat'l Paint & Coating Association HMIS System

#### NFPA HAZARD RATINGS



Chemical not listed. Ratings based on NFPA guidelines

# **Effects of Overexposure**

**Acute** *Inhalation* | Inhalation of mists, vapors or sprays is irritating to the respiratory system, may cause throat pain and couch, sever respiratory tract irritation and pulmonary edema.

Eyes | May cause severe irritation, burns, and/or corrosion, vision impairment, corneal damage and blurred vision.

*Skin* | May cause severe irritation and burns or dermatitis. Prolonged skin exposure may cause destruction of the dermis with impairment of the skin to regenerate at site of contact.

*Ingestion* | May cause gastrointestinal tract pain and inflammation, burns and perforation of the esophagus or stomach or injury to liver, kidneys or central nervous system.



**Chronic** Repeated inhalation exposure may cause impairment of lung function and permanent lung

damage. Effects from chronic skin exposure would be similar to those from single exposure

except for effects secondary to tissue destruction.

**Note** Corrosive and strongly irritating to the eyes, skin, and respiratory tract. Inhalation of fumes

may cause pulmonary edema. Ingestion may cause burns to the mouth and digestive tract,

and abdominal distress.

**Appearance** Colorless to light yellow-green liquid.

Routes of Entry Inhalation, Eye Contact, Skin, Ingestion

**Cancer Information** This product has not been listed as carcinogenic by the following agencies: IARC, NTP, or OSH.

**Mutagenicity** Sodium hypochlorite has tested positive in in-vitro test systems and negative in invivo test systems. These results are consistent with other germicides.

Medical Conditions Aggravated by Exposure Asthma, Heart disease, Respiratory disorder

# **SECTION 3 - COMPOSITION, INFORMATION OR INGREDIENTS**

<b>CAS Number</b> 7732-18-5	<b>Name</b> Water	Common Names Water
Percentage	Exposure Limits	
VOL 85.75 - 81.25	PEL Not Established	
WT 84.37 - 88.13	TLV Not Established	
	STEL Not Established	
	IDLH Not Established	



CAS NumberNameCommon Names7681-52-9Hypochlorous Acid, Sodium SaltSodium Hypochlorite

Percentage Exposure Limits

VOL 14.25 - 18.75 PEL N/A WT 11.87 - 15.63 TLV N/A

STEL 2 mg/m3 (US WEEL)
IDLH Not Established

#### **Listed On**

EINECS inventory, or in compliance with inventory

TSCA inventory

AICS inventory, or in compliance with inventory

DSL list

ENCS inventory, or in compliance with inventory

- KECI inventory, or in compliance with inventory
- PICCS inventory, or in compliance with inventory
- IECSC inventory, or in compliance with inventory
- NZIoC inventory, or in compliance with inventory

<b>CAS Number</b> 1310-73-2	Name Sodium Hydroxide (NaOH)	Common Names Caustic Soda, Lye
Percentage	Exposure Limits	
VOL 1	PEL 2 mg/m3	
WT 1	TLV 2 mg/m3	
	STEL 2 mg/m3	
	IDLH 10 mg/m3	

#### **Listed On**

- The TSCA Inventory, or in compliance with inventory
- PA Requirement 3% or greater
- NJ Requirement 1% or greater
- This product has not been listed as carcinogenic by the following agencies: IARC, NTP, or OSHA



CAS Number Name Common Names

7647-14-5 Sodium Chloride (NaCl) Salt

Percentage Exposure Limits

VOL >1 PEL Not Established
WT >1 TLV Not Established
STEL Not Established
IDLH Not Established

CAS Number Name Common Names

497-19-8 Carbonic Acid Disodium Salt

Percentage Exposure Limits

VOL >1 PEL Not Established
WT >1 TLV Not Established
STEL Not Established
IDLH Not Established

#### **SECTION 4 - FIRST AID MEASURES**

**Inhalation** Remove to fresh air. If breathing is difficult, have qualified person administer oxygen. If

respiration stops, give mouth-to-mouth resuscitation. **SEEK MEDICAL ATTENTION** 

IMMEDIATELY.

Eyes Immediately flush eyes with plenty of water for at least 15 minutes. SEEK MEDICAL

ATTENTION IMMEDIATELY.

**Skin** Flush thoroughly with cool water under shower for at least 15 minutes while removing

contaminated clothing and shoes. Discard non-rubber shoes. Wash clothing before reuse.

Continue to flush until medical attention arrives. SEEK MEDICAL ATTENTION

IMMEDIATELY.

**Ingestion** Do not induce vomiting. Rinse mouth and give water or milk if the person is conscious. If

vomiting occurs, keep airway clear and give more milk or water. SEEK MEDICAL

ATTENTION IMMEDIATELY.



#### SECTION 5 - FIRE-FIGHTING MEASURES

Flash Point

Auto-Ignition Temperature

N/A

Flammable Limits in Air - % by Volume - Upper

N/A

Flammable Limits in Air - % by Volume - Lower

N/A

Sensitivity to Mechanical Impact Not Sensitive
Sensitivity to Static Discharge Not Sensitive

### **Extinguishing Media**

Use water spray, foam, dry powder, or carbon dioxide or agents suitable for materials in surrounding fire. Do not use Mono Ammonium Phosphate (MAP) type extinguishers directly on this product.

# **Fire Fighting Procedures**

Use self-contained breathing apparatus and full protective equipment. Acid contamination will produce very irritating fumes similar to chlorine.

# Fire and Explosion Hazard

Sodium Hypochlorite or its solutions decompose when heated. Decomposition products may cause containers to rupture or explode. Vigorous reaction is possible with organic materials or oxidizing agents and may result in fire. May release toxic gases.

#### **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

# Steps to be Taken if Material is Released or Spilled

Do not allow spilled material to enter sewers or streams. Flush with water to dilute as much as possible and pump into polyethylene containers for disposal. Avoid heat and contamination with acid materials. Do not use combustible materials such as sawdust to absorb Sodium Hypochlorite Solution.

#### **Ventilation Requirements**

Provide good general room ventilation plus local exhaust at points of emission.



#### SECTION 7 - HANDLING AND STORAGE

# **Handling Precautions**

Do not store adjacent to chemicals that may react if spillage occurs. Comply with DOT regulations when shipped. If closed containers become heated, vent to release decomposition products (mainly oxygen under normal decomposition). Do not mix or contaminate with ammonia, hydrocarbons, acids, alcohols or ethers.

#### **Do Not Reuse Containers**

Product residues may remain in containers. All labeled precautions must be observed. Dispose of container in a manner meeting government regulations.

#### SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

# **Specific Personal Protective Equipment**

Respiratory NIOSH/MSHA approved respirator with N95 (dust, fume, mist) cartridges may be permissible

under certain circumstances where airborne concentrations are expected to exceed

exposure limits. Acid gas cartridges may be required if decomposition products are present. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever

workplace conditions warrant use of a respirator

**Eyes** Wear chemical safety goggles plus full face shield to protect against splashing when

appropriate.

**Gloves** Wear impervious gloves such as rubber, neoprene or vinyl.

Other Wear impervious protective clothing including rubber safety shoes. Eye wash facility and

emergency shower should be in close proximity.



#### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** Colorless to light yellow-green

**Odor** Pungent chlorine like odor

Physical State Liquid

**pH** 12 @ 100 g/L

Vapor Pressure	Temperature °F	mm Hg	PSIA
•	48.2	3.7	0.071
	60.8	8.0	0.15
	68.0	12.1	0.23
	89.6	31.1	0.60
	118.4	100.0	1.93

**Boiling Point** @ 760 mm Hg Decomposes above 110°C (230°F)

Freezing / Melting Point Weight % Freezing Point °F

10 7 12 - 3 14 - 14

Solubility in Water 100% (by weight)

**Specific Gravity** 1.117 - 1.215 H2O = 1

Odor Threshold (ppm) 0.9 ppm approximate

#### **SECTION 10 - STABILITY AND REACTIVITY**

Conditions Contributing

to Instability

Strong Oxidizer, stability decreases with concentration, heat, light, decrease in

pH and contamination by metals.

**Incompatibility** Avoid contamination with heavy metals, reducing agents, organics, ether,

ammonia, and acids.



**Reacts With** Organics, ammonia and acids

**Hazardous** Acid fumes, Hydrogen chloride and Chlorine.

**Decomposition Products** 

**Hazardous Polymerization** Material is not known to polymerize.

#### SECTION 11 - TOXICOLOGICAL INFORMATION

CAS Number Name Common Names

7681-52-9 Sodium Hypochlorite Bleach

Acute Oral LD50 (rat) 8,200 mg/kg
Primary Skin Irritation LD50 (rabbit) >10,000 mg/kg

The toxicity and corrosivity of Sodium Hypochlorite is a function of concentration. Industrial grades of higher concentrations than household bleach are more toxic and corrosive.

#### SECTION 12 - ECOLOGICAL INFORMATION

Aquatic Ecotox Data | Fish

LC50 (96 hr) Pimephales Promelas (Fathead Minnow) 1.40 mg/L

EC50 (48 hr) Daphnia Magna (Water Flea) 0.035 mg/L

**Biodegradation** This material is inorganic and not subject to biodegradation.

**Persistence** This material is believed not to persist in the environment.

**Bioconcentration** This material is not expected to bioconcentrate in organisms.

This material is harmful to fish, invertebrates, amphibians, and plants.



#### SECTION 13 - DISPOSAL CONSIDERATIONS

### **Waste Disposal Method**

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. Main end product is salt water. Comply with all applicable government regulations.

#### **Product Disposal**

Product should be completely removed from containers. Material that cannot be used or chemically reprocessed should be disposed of in a manner meeting applicable governmental regulations.

### **SECTION 14 - TRANSPORT INFORMATION**

**DOT Proper Shipping Name** Hypochlorite Solutions

**DOT Hazard Class** 8

DOT ID Number UN1791

DOT Packing Group Ⅱ

**DOT Hazardous Substance** RQ 100# (Sodium Hypochlorite)

**DOT Marine Pollutant** N/A

Additional Description N/A

#### SECTION 15 - REGULATORY INFORMATION

#### U.S. Federal Regulations

Section 311 of The Clean Water Act lists this product as a hazardous substance, which If discharged to water, may require immediate response to mitigate danger to public health and welfare. Spills of 100 pounds or more must be reported to the National Response Center at the following number: 1-800-424-8802.

Material is contained on a composite list as required under 101 (14) of CERCLA.



Sodium Hypochlorite Solution is regulated by the USEPA under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as a pesticide product.

Sodium Hypochlorite Solution produced by Kuehne Chemical Company Inc. is registered with the USEPA under Registration Number 35317-20001, 35317-4 and 35317-13.

OSHA This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200) (US).

**TSCA**This product is not subject to export notification.

**Toxic Substances Control Act** 

CERCLA and SARA/Title III
Hazard Categories

Corrosive to Metal

Oxidizer Acute Toxicity

Respiratory or Skin Sensitization Serious Eye Damage or Irritation

Skin Corrosion or Irritation

This product is registered with the USEPA as a pesticide as required under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

**Other Standards** 

**NSF Certification**This product has been classified as an approved drinking water treatment

chemical under ANSI/NSF Standard 60.

**USDA Approvals** B-1, D-2, L-1, Q-4 & Fruit and Vegetable washing compounds.

#### **SECTION 16 - OTHER INFORMATION**

#### **Prepared By**

Kuehne Company's Health, Safety, Environmental & Security Department, Revision D – 5 September 2023. For additional non-emergency health, safety or environmental information, telephone: 973 589-0700 or write to:

Kuehne Chemical Company, Inc. 86 N. Hackensack Avenue South Kearny, New Jersey 07032-4673



# SDS Legend

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service Registry Number

**CEILING** Ceiling Limit (15 Minutes)

**OSHA** Occupational Safety and Health Administration

PEL Permissible Exposure Limit (OSHA)

STEL Short Term Exposure Limit (15 Minutes)

TLV Threshold Limit Value (ACGIH)

TWA Time Weighted Average (8 Hours)

#### **IMPORTANT**

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations.

The information presented herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE, OR OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, STABILITY OR OTHERWISE.

This information is not intended to be all-inclusive as to the manner and conditions of handling and storage. Other factors may involve other or use additional safety or performance considerations. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as a recommendation to infringe any existing patents or violate any federal, state or local laws, rules, regulations or ordinances.

No warranty of any kind is given or implied and Kuehne Chemical Company, Inc. will not be liable for any damages, losses, injuries or consequential damages that may result from the use of or reliance on any information contained herein

This Safety Data Sheet (SDS) covers the following materials: Sodium Hypochlorite - Liquid: 15% by volume – 10.5% by weight

#### **REFERENCES**

American National Standard, Z400.1-1993

Chlorine Institute Pamphlet 96 (Sodium Hypochlorite Manual), Edition 5, September 2017

National Institute for Occupational Safety and Health, US Dept. of Health & Human Services, Cincinnati, June, 1994. Supplier's Safety Data Sheets.

Windholz, Martha, Ed, The Merck Index, 11th ed., Merck and Co, Inc., Rahway, New Jersey, 1989.



#### WARNING LABEL INFORMATION

Ingredients

**Active Ingredient** | Sodium Hypochlorite (NaOCI)

11.87 - 15.63 % (by weight) 84.37 - 84.37 %

Other Ingredients

100 %

Total

# KEEP OUT OF REACH OF CHILDREN

# DANGER

Category 1

Symbol

Signal Word

Danger

**Hazard Statements** 

May be corrosive to metals

Causes severe skin burns and eye damage

Very toxic to aquatic life

#### **FIRST AID**

**IF INHALED** Move to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably month-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**IF IN EYES** Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue to rinse eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED** Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.



**NOTE TO PHYSICIAN** Probable mucosal damage may contraindicate the use of gastric lavage.

**HOT LINE NUMBER** 1 800 POISON-1

Have product container or label with you when calling a poison control center or doctor or going for treatment.

# PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

**DANGER** Corrosive. Causes irreversible eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if absorbed through the skin. Applicators or other handlers must wear coveralls over long sleeve shirt and long pants, socks and rubber boots, face shield or goggles and rubber gloves when handling this product. Wash thoroughly with soap and water after handling before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated. Remove and wash contaminated clothing before reuse.

**Environmental Hazards** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**Physical and Chemical Hazards** STRONG OXIDIZING AGENT. Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas, which is irritating to eyes, lungs and mucous membranes.

#### **DIRECTION FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Re-formulators and Re-packagers of this product must obtain their own registrations from the United States Environmental Protection Agency (USEPA).

#### For manufacturing use in the formation of end-use Products

**NOTE** This product degrades with age. Use a Chlorine test kit and increase dosage as necessary, to obtain the required level of available Chlorine.

For specific use directions, see KUEHNE Circular for each particular application.

**CIRCULAR NUMBER K586A** Sanitizers of hard non-porous surfaces (stainless steel tops)

CIRCULAR NUMBER K586B Commercial laundry sanitizers

CIRCULAR NUMBER K586C Agricultural uses



CIRCULAR NUMBER K586D Disinfection of human drinking water

CIRCULAR NUMBER K586E Disinfection of hard non-porous surfaces (sealed tile, fiberglass, glass,

stainless steel)

**CIRCULAR NUMBER K586F** Sewage, wastewater and effluent control

**CIRCULAR NUMBER K586G** Cooling tower & evaporative condenser water systems

**CIRCULAR NUMBER K586H** Sanitizer of porous food contact surfaces (wooden butcher blocks)

**CIRCULAR NUMBER K586I** Sanitizer of porous non-food contact surfaces (tile walls, concrete floors)

**CIRCULAR NUMBER K586J** Disinfectant of swimming pool water, spa/hot tubs, hydrotherapy pools)

#### STORAGE AND DISPOSAL

Store this product in a cool dry area away from direct sunlight and heat to prevent deterioration. In case of a spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Large storage containers should be rinsed thoroughly with water and returned to manufacturer for reconditioning. Large storage containers should be thoroughly rinsed with water before reuse.

#### IN CASE OF

**FIRE** Use self-contained breathing apparatus and full protective equipment. Use water spray, foam, dry chemical or C02. Fire may liberate toxic gases.

**SPILL OR LEAKAGE** Get protective equipment. Contain spill and pump into marked container for reclamation for disposal. Avoid discharges to sewers and streams. Spills of 100 pounds or more must be reported to the National Response Center at the following number:

# 1 800 424-8802

State and local regulations may have additional reporting requirements, check with the proper state and local authorities. Wear neoprene or rubber gloves.

# IN CASE OF CHEMICAL EMERGENCIES 24 HOUR EMERGENCY PHONE 973 589-0700

